

IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT



APVMA Approval No.: 67704/56668

Contents: 10L & 20L

Distributed by:

Crop Smart Pty Ltd ABN: 28 093 927 961 2409/4 Daydream Street Warriewood, NSW 2102 Tel: 1300 783 481 Fax: 1300 783 491

DIRECTIONS FOR USE

Situation	Weeds Controlled	State	Rate L/ha	Critical Comments		
Lettuce Direct sown	Barnyard Grass, Blackberry Nightshade, Chickweed,	All States	4.5 in 330 - 550L	Apply pre-emergent, immediately after sowing. For best results, prepare the seed bed free from clods. Sufficient irrigation to wet the top 3 to 4 cm of soil should be applied within 24 hours. Apply immediately after transplanting. For best results, prepare the seed bed free from clods. Sufficient irrigation to wet the top 3 to 4 cm of soil should be applied within 24 hours.		
Transplanted	Portulaca, Winter Grass, Ryegrass, Summer Grass, Wireweed, Prince of					
	Wales Feather, Shepherd's Purse, Nettles	Vic only	2.3 in 300 – 550L		ght sandy soils, low in organic matter.	
Turf & Lawns	Winter grass			Rate Bowling Green 37 x 37m		
Common Couch		All States	1.2 (12mL /100m ²)	170mL	Apply during the autumn and Winter, if established turf is infested with seedling winter grass. Ensure a uniform coverage. Irrigate immediately	
Queensland Blue couch		Qld only	0.6 (6mL /100m ²)	85mL	after application with 12-25 mm irrigation or rain and again 24 hours later. Repeat if necessary on Qld. Blue	
Buffalo grass		WA only	1.2 (12mL /100m ²)	170mL	Couch after 4 weeks. DO NOT re-seed for 60 days after treatment. Use ONLY on established turf. DO NOT use on Bluegrass, ryegrass, fescue or bent grass lawns.	
Lucerne, Clover, Medics etc. grown for forage, hay or seed production	Annual Ryegrass, Winter grass, Barley grass, Silver Grass, Prairie Grass, Canary Grass, Great Brome, Squirrel Tail Fescue and Rats Tail Fescue	NSW, ACT, SA, WA, Tas only	1-1.5	SEEDLING CROPS: Apply after the third trifoliate leaf is fully developed. ESTABLIHED CROPS: Apply any time before the end of July. WEEDS: Apply when weeds are at post or pre- emergent stages. BEST RESULTS: When applied during cool and moist conditions. Rain or irrigation is necessary to thereughly wet the top 2 to 4 cm of soil. This is		
	Wild Oats, Perennial Ryegrass, Bentgrass, English Couch, Yorkshire Fog Grass, Chickweed, seeding Sorrel, Blackberry Nightshade, Patterson's Curse, seedling Wireweed		1.5-2	similar to 29 end of the r not optimal	wet the top 3 to 4 cm of soil. This is 5mm rain. Use rates towards the higher range on heavy soils, if conditions are or where a heavy grass population is Grazing or cutting PRIOR to treatments ended.	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION

WITHHOLDING PERIODS DO NOT HARVEST, GRAZE OR CUT FOR STOCK FOOD OF FOR SEED FOR 25 DAYS AFTER APPLICATION.

GENERAL INSTRUCTIONS

Best results are obtained by applying the product to cool, wet soil. $\ensuremath{\textbf{MIXING}}$

Prior to pouring, shake container vigorously, then add the required quantity of Smart Propyzamide 500 SC Herbicide to water in the spray vat while stirring or with agitators in motion. DO NOT mix with other pesticides.

RESISTANT WEEDS WARNING

|--|

Smart Propyzamide 500 SC Herbicide is a member of the amide group of herbicides with diverse sites of action. For weed resistance management Smart Propyzamide 500 SC Herbicide is a Group D herbicide. Some naturally occurring weed biotypes resistant to Smart Propyzamide 500 SC Herbicide and other amide herbicides may exist through normal genetic variability in any weed population. The resistant individuals can eventually dominate the weed population if these herbicides are used repeatedly. These resistant weeds will not be controlled by Smart Propyzamide 500 SC Herbicide or other amide herbicides.

Since the occurrence of resistant weeds is difficult to detect prior to use, Crop Smart Pty Ltd accepts no liability for any losses that may result from failure of Smart Propyzamide 500 SC Herbicide s to control resistant weeds. Advice as to strategies and alternative treatments that can be obtained from your local supplier, consultant, local Department of Agriculture, Primary Industries Department or Crop Smart representative.

PROTECTION OF LIVESTOCK, WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers. DO NOT graze sheep on treated areas or feed to poultry or pigs.

PROTECTION OF CROPS, NATIVE AND OTHER NON-TARGET PLANTS

DO NOT apply under weather conditions or from spraying equipment that may cause spray drift onto nearby susceptible plants/crops, cropping land or pastures.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area, out of direct sunlight. Keep from contact with fertilisers, insecticides, fungicides and seeds. Protect from frost. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. Break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Will irritate the eyes and skin. Avoid contact with eyes and skin. When preparing the spray and using the prepared spray, wear cotton overalls buttoned to the neck and wrist, washable hat and elbow-length PVC gloves. After use, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and contaminated clothing.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre, Telephone Australia 13 11 26.

MATERIAL SAFETY DATA SHEET

For further information refer to the Material Safety Data Sheet which is available from the supplier.

NOTICE TO BUYERS

Crop Smart Pty Ltd ('Crop Smart') shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence, use under abnormal conditions or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Crop Smart's skill or judgment in purchasing or using the product and every person dealing with this product does so at their own risk.

In a Transport Emergency Dial 000 Police or Fire Brigade

