

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Smart Up

SPRAY OIL ADJUVANT

**ACTIVE CONSTITUENTS: 582 g/L PARAFFINIC OIL
120 g/L NONYL PHENOL ETHOXYLATE
120 g/L ALCOHOL ETHOXYLATE**

An adjuvated spraying oil to improve the wetting and spreading of herbicides, insecticides and defoliants on plant surfaces as per the directions for use table.



**IMPORTANT:
READ THE DIRECTIONS BEFORE USE**

Batch Number:

Date of Manufacture:

Scan QR Code to
access SDS
on mobile device



APVMA Approval Number: 63403/0908

Crop Smart
better crop protection

Crop Smart Pty. Ltd
ABN 28 093 927 961
2409/4 Daydream Street, Warriewood NSW 2102
Tel: 1300 783 481 Fax: 1300 783 491

Smart UP

SPRAY OIL ADJUVANT

DIRECTIONS FOR USE

Important: Prior to use read all directions on this label and on the label of the companion crop protection product. The product(s) label for specific usage and restrictions have precedence over directions for use referred to on this label.

SMART UP is compatible with a wide range of herbicides including:

Atrazine#, Eclipse Herbicide, Grazon DS Herbicide, Fluroxypyr 200 Herbicide, Tordon 75-D Herbicide, Tordon 242 Cereal Herbicide, Clethodim Herbicide, Fusilade WG Herbicide, Haloxyfop, Broadstrike Herbicide, Triclopyr 600 Herbicide, Lontrel 750SG Herbicide, Topik 240EC Selective Herbicide, Fusion WG Herbicide, Targa Herbicide, Achieve Herbicide.

SMART UP is compatible with cotton defoliant products such as: Thidiazuron, Ethephon

SMART UP is compatible with the insecticides Chlorpyrifos 300, Tracer Naturalyte Insect Control.

When mixing with atrazine water dispersible granule formulations, agitation is required.

| SITUATION | CRITICAL COMMENTS |
|--|--|
| Broadacre cropping including fallow (except sugarcane) | Where specified use 500mL SMART UP /100L, applying a minimum of 250mL of SMART UP per hectare. |
| Sugarcane and cotton defoliation | Where specified use 1L SMART UP /100L water applying a minimum of 500mL of SMART UP per hectare. |
| Spot and High Volume Spraying | Where specified use 500mL SMART UP /100L water applying to point of run-off. |
| Horticulture | SMART UP with Haloxyfop 520 Herbicide for horticultural uses. Use 500mL SMART UP /100L water applying a minimum of 250mL SMART UP per hectare. |

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

WITHHOLDING PERIOD

Adhere to the withholding period(s) specified on the label of the companion product(s) used.

Mixing:

- These are general mixing instructions. Always follow the mixing instructions of each ingredient in the tank mix. Ensure product compatibility. Recommendations on other product labels always take precedence over mixing instructions on this label.
- Add water to the spray tank to 10cm above the level of agitation and ensure the agitation device is working vigorously. (There must be a minimum of 100L of water in the tank before any pesticide is added.)
- If tank mixing, use the following general order for mixing partners. First add water dispersible granules (eg Eclipse), second add flowable formulations (eg atrazine), third add emulsifiable concentrates (eg Fluroxypyr 200EC), fourth add water soluble liquids (eg Clopyralid 300 Herbicide) and last SMART UP and other adjuvants.
- Between the addition of each ingredient allow at least one minute to ensure thorough mixing before the new tank-mix partner is added.
- Finally add SMART UP. Continue filling the tank to the required volume maintaining agitation at all times.
- Only mix sufficient spray solution for immediate user. Haloxyfop and other tank-mixes should be applied immediately for best results.

Storage of spray solution:

Agitate for 1 hour every 8 hours, and agitate for 1 hour before spraying out where spray solution is not applied within 8 hours of mixing.

Cleaning Spray Equipment:

The presence of the product(s) makes it essential for the spray equipment to be thoroughly cleaned between different applications.

To rinse and decontaminate spray equipment refer to the relevant product labels for instructions.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Do not contaminate streams, rivers or waterways with the chemical or used container.

Crop Smart

Crop Smart Pty Ltd ABN: 28 093 927 961
Suite 2409, 4 Daydream Street Warriewood NSW 2102
Tel: 1300 783 481 Fax: 1300 783 491

STORAGE AND DISPOSAL PRECAUTION

EXPLOSION WARNING: Apparently "empty" containers may contain liquid and/or vapour which can be explosive if exposed to an ignition source at temperatures above 90°C. Such conditions may occur during cutting or welding. DO NOT cut or weld these containers. Explosion may cause injury or death.

Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight.

DO NOT store near food, feedstuffs, fertiliser or seed.

DO NOT re-use 20L, 200L containers.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean container to recycler or designated collection point.

If not recycling, break, crush or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

For 110L and 1000L containers - Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SMALL SPILL MANAGEMENT:

Wear appropriate clothing whilst cleaning up small spills. Apply absorbent material such as earth, cat litter, sand or clay granules to the spill.

Sweep up material for disposal when absorption is complete. Dispose of the contaminated material in accordance with local or/and State recommendations.

SAFETY DIRECTIONS

Avoid inhalation or skin contact of spray mist.

WHEN USING WITH ANOTHER CHEMICAL CONSULT THE SAFETY DIRECTIONS OF THE COMPANION PRODUCT.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia: 131126).

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which is available from the supplier.

CONDITION OF SALE

Crop Smart Pty Ltd ("Crop Smart") shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever, or howsoever arising through negligence or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express conditions that the purchaser does not rely on Crop Smart's skill or judgement in purchasing or using the same and every person dealing with this product does so at his own risk absolutely. No representative of Crop Smart has any authority to alter these conditions.



IN AN EMERGENCY
DIAL 000
POLICE OR FIRE BRIGADE

EMERGENCY CONTACT CHEMWATCH
1800 951 288
AUSTRALIA WIDE, 24 HOURS



Additional GHS Statement

Combustible liquid.

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

Repeated exposure may cause skin dryness or cracking. Do not get in eyes, on skin, or on clothing. Wash contacted areas thoroughly after handling. Use personal protective equipment as required.

Causes serious eye irritation.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.