

WARNING

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Smart Select ZMC

Hi-Load Organic Chelate

GUARANTEED ANALYSIS:

Zn 4.8%, Mn 6%, Cu 1.2%

Smart Select ZMC has the following benefits:

- Superior Mixing Ability - mixes well with all common Ag Chemicals
- Complexed with Organic Fulvic Acid = Rapid & Highly Effective uptake in the plant
- Hi-Load ZMC = 20% higher loading means less to pump and transport
- Prevents and corrects trace element deficiencies in plants



Contents: 1000L

IMPORTANT:
READ SAFETY DIRECTIONS BEFORE
OPENING OR USING

Crop Smart
better crop protection

IMPORTANT: READ COMPLETE DIRECTIONS FOR USE BEFORE USING THIS PRODUCT

Distributed by Crop
Smart Pty Ltd
ABN: 28 093 927 961
2409/4 Daydream Street, Warriewood, NSW 2102 Tel:
1300 783 481 Fax: 1300 783 491

DIRECTIONS FOR USE:

Suitable for application by:	
FOLIAR	FERTIGATION
SEED DRESSING	

Minimum Dilution: A dilution of 1:100 means 1 part product : 100 parts water.
In hot weather use a higher dilution rate.

COMPATIBILITY

Smart Select ZMC is compatible with most agricultural chemicals and fertilizers. Do not mix with Amine herbicides and Calcium containing products. When mixing, always test for compatibility with a small quantity first and only mix enough for one application. Do not store the mixed product.

CAUTION

Avoid contact with eyes. Keep out of reach of children. If swallowed seek medical advice. Do not store in direct sunlight.

CONDITIONS OF SALE: Every care is taken during the manufacture of this product. However as environmental conditions can vary considerably, no responsibility can be taken by the manufacturer, importer or his agents for any injury, damage, loss or other results following the use or misuse of this product.

NOTE: The suggested rates of application and dilutions should be used as a guide only. The rates of application and dilution necessary for optimum results may vary depending upon the user's particular environment and application processes. Good agricultural practice required that applications be avoided under extreme weather conditions such as high humidity, frost, rain and temperature over 28 degrees Celsius and rapid drying conditions. Before applying the product for the first time or in combination with other chemicals a small test area should be sprayed and observed. Where possible it is recommended that regular leaf (sap) tests are conducted to determine actual plant nutrient availability during each growing cycle. Soil tests at least once per year are essential.

Crop	Rate Ha	Min Dilution	Comments
BROADACRE – foliar Barley, canola, cotton, grain legumes, maize, oats, rice, sorghum, triacale & wheat	2-4L	1:30	Best applied at the 3-4 leaf stage, but can also be used at other stages.
Soil Injection	4-7L		Soil injection at planting. If mixing with UAN dilute the product at least 4 times with water and then add UAN.
Seed Dressing	5-8L/T		Seed dressing prior to sowing improves germination.
POTATOES – foliar	2-4L	1:30	Apply at early stages of growing season when sufficient leaf cover present. Apply with compatible crop protection sprays.
ALMONDS – foliar	1-3L	1:50	Apply to recently hardened spring flush or during active growing period and post harvest.
VINES – foliar - fertigation	1-4L 4-6L	1:50	1 st application: shoots 10cm long. 2 nd application: 5% flowering. Do not use at concentration less than 1:50.

NOT TO BE USED FOR ANY PURPOSE OR IN ANY MANNER CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

PROTECTION OF WILDLIFE, FISH CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Keep out of reach of children. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Single rinse before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. Puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

SAFETY DIRECTIONS

Avoid contact with skin or eyes.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. *Phone Australia: 13 11 26.*

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet, which is available from the supplier.

NOTICE TO BUYERS

Crop Smart Pty Ltd ('Crop Smart') shall not be liable for any loss, injury, damage or death whether consequential or otherwise whatsoever or howsoever arising whether through negligence, use under abnormal conditions or otherwise in connection with the sale, supply, use or application of this product. The supply of this product is on the express condition that the purchaser does not rely on Crop Smart's skill or judgment in purchasing or using the product and every person dealing with this product does so at their own risk.

<p>IN A TRANSPORT EMERGENCY DIAL 000 POLICE OR FIRE BRIGADE</p>
<p>CROP SMART PTY LTD EMERGENCY CONTACT 1300 783 481 AUSTRALIA WIDE, 24 HOURS</p>